STIC Biotechnology Systems Branch

CRF Problem Report

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 0585,027 Filing Date: 0585,027 Date Processed by STIC: 17706
STIC Contact: Mark Spencer: Telephone: 571-272-2510; Fax: 571-273-0221
Nature of CRF Problem:
(circle one) Damaged of Unreadable (for Unreadable, see attached) Blank (no files on CRF) (see attached) Empty file (filename present, but no bytes in file) (see attached) Wrong file saved to CRF (invention title, docket number, or applicant(s) do not match those in official application) (see attached) Not saved in ASCII text Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should only be the Sequence Listing. Did not contain a Sequence Listing. (see attached sample) Other:

PLEASE USE THE CHECKER VERSION 4.3.1 PROGRAM TO REDUCE ERRORS. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
 U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street,
 Alexandria, VA 22314

Revised 08/30/05

7/12/06

Microsoft(R) Windows 98 (C)Copyright Microsoft Corp 1981-1999.

C:\WINDOWS>a:

A:\>dir

Volume in drive A has no label Directory of A: $\$

SEQUEN~1 DOC

227,328 06-27-06 10:35a Sequence listing as filed.36017DK01.

Patent.1.doc

1 file(s) 227,328 bytes

0 dir(s)

1,230,336 bytes free

A:\>type SEQUEN~1.DOC

Read fault error reading drive A Abort, Retry, Fail?

Microsoft(R) Windows 98
(C)Copyright Microsoft Corp 1981-1999.

C:\WINDOWS>a: